

# Series 4, Freestanding Freezer, 176 x 60 cm, Stainless steel (with anti-fingerprint) GSN33VI31Z







2 x cold accumulator, 1 x ice cube tray

KSZ36AL00 Connection set inox

## The NoFrost freezer with electronic temperature control: set the target temperature precisely and easily.

- VarioZone: more flexibility due to variable-use glass shelves and drawers in the freezer compartment.
- **NoFrost**: never defrost again, thanks to perfect protection from ice formation that saves time and effort.
- **Big Box drawer**: for stacking storage containers or for large frozen food items.

Product category: ......Upright freezer Built-in / Free-standing: ......Free-standing Frost free system: ...... Fridge and freezer Climate class: ......SN-T Width of the appliance: ......600 mm Depth of the product: ...... 650 mm Dimensions of the packed product (HxWxD): ... 1830 x 765 x 660 mm Warning signal / malfunction: ......visual and audible Number of freezing flaps (Stck): ......2 Thermometer freeze section: ...... Digital Light: ...... No Door hinge: ...... Right reversible Number of compressors: ......1 Number of independent cooling systems: ......1 Economy setting: ...... No Number of Door Bins - Freezer: ......0 Door bin adjustability - Freezer: ...... No Number of shelves - Freezer: ...... 0 Door bin adjustability - Freezer: ...... No Shelf Material - Freezer: ...... Safety glass Connection rating: ...... 90 W Main colour of product: ...... Stainless steel (with anti-fingerprint) Door panel options: ...... Not possible Plug type: ...... South Africa plug Required cutout/niche size for installation (in): .....x Dimensions of the packed product: ...... 72.04 x 25.98 x 30.11 Included accessories: ......2 x cold accumulator, 1 x ice cube tray





Series 4, Freestanding Freezer, 176 x 60 cm, Stainless steel (with anti-fingerprint)
GSN33VI31Z

## The NoFrost freezer with electronic temperature control: set the target temperature precisely and easily.

#### Consumption

- Energy efficiency class: A+
- Energy efficiency class: A+ (245 kWh per year). Actual energy consumption will depend on how the appliance is used and where it is located.
- Total net capacity: 225 litres
- Noise level dB(A) re 1 pW: 42

#### **Comfort and Safety**

- Frost free never again defrosting
- LED electronic control
- Acoustic warning system
- Optical and Acoustic Malfunction Warning
- freshSense constant temperature by intelligent sensor technology
- Manual/automatic activiation
- easy door opening with Air Channel System

#### Freezer Section

- Net freezer capacity 225 litres
- Freezing capacity: 20 kg in 24 hours
- Storage time in power failure: 25 Hours
- Multi Airflow-System
- 2 compartment with glass shelf and transparent hinge
- Safety glass
- 5 transparent freezer drawers, whereof 1 extra large Big Box drawer
- Calendar frozen food

#### APPLIANCE DIMENSION

- Dimensions: H 176 cm x L 60 cm x D 65 cm

#### **TECHNICAL INFORMATION**

- Door right hinged, reversible
- Height adjustable front feet, roles in the back
- door opening angle 90°
- Connected load 90 W
- Rated Voltage 220 240 V

#### **Standard Accessories**

- cold accumulator, ice cube tray



### Series 4, Freestanding Freezer, 176 x 60 cm, Stainless steel (with anti-fingerprint) GSN33VI31Z

|                            | а   | b  | С  | d  | е  | f     |
|----------------------------|-----|----|----|----|----|-------|
| KSW36, GSD36               | 187 | 60 | 65 | 58 | 60 | 119.5 |
| KSV36, KSF36, GSN36, GSV36 | 186 |    |    |    |    |       |
| KSV33, GSN33, GSV33        | 176 |    |    |    |    |       |
| KSV29, GSN29, GSV29        | 161 |    |    |    |    |       |
| GSV24                      | 146 |    |    |    |    |       |
| GSN51                      | 161 | 70 | 78 | 70 | 70 | 142   |
| GSN54                      | 176 |    |    |    |    |       |
| GSN58                      | 191 |    |    |    |    |       |

- a Height
  b Width
  c Depth with closed door w/o handle and w/o distance part
  d Depth of cabinet w/o distance part
  e Width with open door w/o handle
  f Depth with open door w/o handle w/o distance part

measurements in cm



